CONTENTS

NUMBER 1

Editorial

1 Drug evaluation, drug develoment and pharmacogenetics: celebrating 30 years of progress: *A. Li Wan Po*

Original Articles

5 Appropriate dosing of antiarrhythmic drugs in Japan requires therapeutic drug monitoring: *M. Takada, T. Goto, T. Kotake, M. Saito, N. Kawato, M. Nakai, T. Gunji and M. Shibakawa*

13 Pharmacoepidemiologic study of potential drug interactions in outpatients of a university hospital in Thailand: *B. Janchawee, W. Wongpoowarak, T. Owatranporn and V. Chongsuvivatwong*

21 A literature search on pharmacokinetic drug interactions of statins and analysis of how such interactions are reflected in package inserts in Japan: *M. Saito, M. Hirata-Koizumi, T. Urano, S. Miyake and R. Hasegawa*

39 Prevalence of over-the-counter drug-related overdoses at Accident and Emergency departments in Northern Ireland – a retrospective evaluation: *M. Wazaify, S. Kennedy, C. M. Hughes and J. C. McElnay*

45 Counselling quality in community pharmacies: implementation of the pseudo customer methodology in Germany: *K. Berger, C. Eickhoff and M. Schulz*

59 Methylphenidate: prescribing patterns in a South African primary care patient population: *I. Truter*

65 Adjunctive use of atypical antipsychotics and anticholinergic drugs among patients with schizophrenia: *X. S. Ren, Y.-H. Huang, A. F. Lee, D. R. Miller, S. Qian and L. Kazis*

73 The efficacy of three desensitizing agents in treatment of dentine hypersensitivity: *T. Pamir, M. Özyazici, E. Baloğlu and B. Önal*

77 Factors influencing clinicians' decisions to prescribe medication to prevent coronary heart disease: *S. Greenfield, S. Bryan, P. Gill, K. Gutridge and T. Marshall*

85 Assessing the bioequivalence of 4- and 8-mg benidipine tablets in healthy volunteers after a single oral dose: *W. K. Kang, H.-Y. Yun and K.-I. Kwon*

91 Myocarditis, pericarditis and cardiomyopathy in patients treated with clozapine: *P. M. Wehmeier, P. Heiser and H. Remschmidt*

NUMBER 2

Editorial

97 Drug-drug interactions and adverse drug reactions: the bollards and flashing lights syndrome: *A. Li Wan Po*

Commentary

101 Amantadine for traumatic brain injury: does it improve cognition and reduce agitation?: *H. Leone and B. W. Polsonetti*

Original Articles

105 Comparison of Prilosec OTC™ (omeprazole magnesium 20.6 mg) to placebo for 14 days in the treatment of frequent heartburn: *L. D. Allgood, J. M. Grender, M. J. Shaw and D. A. Peura*

113 Long-term tolerability of tramadol LP, a new once-daily formulation, in patients with osteoarthritis or low back pain: *H. Malonne, M. Coffiner, D. Fontaine, B. Sonet, A. Sereno, A. Peretz and F. Vanderbist*

121 Dose-finding study of ibuprofen in patent ductus arteriosus using the continual reassessment method: *L. Desfrere, S. Zohar, P. Morville, A. Brunhes, S. Chevret, G. Pons, G. Moriette, E. Rey and J. M. Treluyer*

133 Comparison of mirtazapine and fluoxetine in the treatment of major depressive disorder: a double-blind, randomized trial: *H. Amini, S. Aghayan, S. A. Jalili, S. Akhondzadeh, O. Yahyazadeh and M. Pakravan-Nejad*

139 Comparison of the effect of aminophylline and low PEEP vs. high PEEP on EGF concentration in critically ill patients with ALI/ARDS: *P. Salari, M. Mojtahedzadeh, A. Najafi, S. Sadraie, K. Bahaadini, M. Moharreri, N. Hadavand and M. Abdollahi*

145 Adoption of celecoxib and rofecoxib: a nationwide database study: *A. Helin-Salmivaara, R. Huupponen, A. Virtanen and T. Klaukka*

153 Grapefruit juice–nifedipine interaction: possible involvement of several mechanisms: *P. Odou, N. Ferrari, C. Barthélémy, S. Brique, M. Lhermitte, A. Vincent, C. Libersa and H. Robert*

159 Population pharmacokinetic investigation of phenobarbital by mixed effect modelling using routine clinical pharmacokinetic data in Japanese neonates and infants: *E. Yukawa, F. Suematsu, M. Yukawa and M. Minemoto*

165 The impact of socioeconomic and demographic factors on the utilization of smoking cessation medications in patients hospitalized with cardiovascular disease in Nova Scotia, Canada: *A. M. Whelan, C. A. Cooke and I. S. Sketris*

173 High prevalence of orthostatic hypotension and its correlation with potentially causative medications among elderly veterans: *I. O. Poon and U. Braun*

Pharmacogenetics

179 Differences in the single-oral-dose pharmacokinetics and urinary excretion of paracetamol and its conjugates between Hong Kong Chinese and Caucasian subjects: *J. A. J. H. Critchley, L. A. H. Critchley, P. J. Anderson and B. Tomlinson*

185 A study of the *in vitro* interaction between lidocaine and premedications using human liver microsomes: *A. Nagashima, E. Tanaka, S. Inomata, K. Honda and S. Misawa*

Case Report

189 Clearance rates of cerivastatin metabolites in a patient with cerivastatin-induced rhabdomyolysis: *H. Ozaki, T. Ishikawa, T. Ishii, A. Toyoda, T. Murano, Y. Miyashita and K. Shirai*

192 **Erratum**

NUMBER 3

Original Articles

193 Patient valuation of pharmacist services for self care with OTC medications: *S. H. Hong, D. Spadaro, D. West and S. H. Tak*

201 Reduced oral itraconazole bioavailability by antacid suspension: *M. Lohitnavy, O. Lohitnavy, O. Thangkeattiyanon and W. Srichai*

207 Administration of enoxaparin by continuous infusion in a naturalistic setting: analysis of renal function and safety: *S. L. Kane-Gill, Y. Feng, M. B. Bobek, R. R. Bies, M. C. Pruchnicki and J. F. Dasta*

215 User-related pharmaceutical care problems and factors affecting them: the importance of clinical relevance: *W. Denneboom, M. G. H. Dautzenberg, R. Grol and P. A. G. M. De Smet*

225 Advice-giving on self-medication: perspectives of community pharmacists and consumers in Singapore: *W. K. Chui and S. C. Li*

233 Clinical factors associated with hyperkalemia in patients with congestive heart failure: *F. H. Ramadan, N. Masoodi and A. A. El-Solh*

241 Relationship of P450 2C9 genetic polymorphisms in Chinese and the pharmacokinetics of tolbutamide: *K. Chen, R. Wang, S.-Y. Wen, J. Li and S.-Q. Wang*

251 Cost considerations of the new fixed combinations for glaucoma medical therapy: *M. P. Ventura, N. E. Saheb, H. P. Solari, V. S. Saraiva, R. N. G. Vianna and M. N. Burnier Jr*

255 Stability of doxorubicin combined with Radioselectan®, a contrast agent, for chemoembolization: *F. Chiadmi, J. Daroso, J. Schlatter, S. Cisternino, R. Ratiney and J. Ξ. Fontan*

259 Use of six main drug therapeutic groups across educational groups: self-reported survey and prescription records: *M. W. Nielsen, J. Gundgaard, E. H. Hansen and N. K. Rasmussen*

271 TGF-β1 mRNA expression in liver biopsy specimens and TGF-β1 serum levels in patients with chronic hepatitis C before and after antiviral therapy: *B. Marek, D. Kajdaniuk, U. Mazurek, E. Janczewska-Kazek, B. Kos-Kudla, B. Strzalka, A. Fila, D. Niedziolka, M. Beniowski, Z. Ostrowska, H. Borgiel-Marek, J. Kajdaniuk, L. Sieminska, M. Nowak, T. Wilczok, D. Pakula and P. Filipczyk*

279 Assessing the accuracy of a computerized decision support system for digoxin dosing in primary care: an observational study: *W. L. G. Kroese, A. J. Avery, B. S. P. Savelyich, N. S. Brown, H. Schers, R. Howard, J. Hippisley-Cox and P. Horsfield*

285 Ketoconazole increases plasma concentrations of antimalarial mefloquine in healthy human volunteers: *W. Ridtitid, M. Wongnawa, W. Mahatthanatrakul, N. Raungsri and M. Sunbhanich*

291 Proposed mechanisms and preventative options of Jarisch–Herxheimer reactions: *M. W. Pound and D. B. May*

297 A study of the management of erectile dysfunction in general practice: *L. Griffiths, N. Bush, D. Mottram and D. Armstrong*

304 **Erratum**

NUMBER 4

Commentary

305 A second (non-genomic) steroid mechanism of action: possible opportunity for novel pharmacotherapy?: *M. A. Craig, G. A. Beppler, C. Santos and R. B. Raffa*

Review Article

313 Current concepts in the endocrine therapy of breast cancer: tamoxifen and aromatase inhibitors: *G. Sing Ranger*

Original Articles

319 Pharmacokinetics and pharmacodynamics profiles of enalapril maleate in healthy volunteers following determination of enalapril and enalaprilat by two specific enzyme immunoassays: *T. Arafat, R. Awad, M. Hamad, R. Azzam, A. Al-Nasan, A. Jehanli and K. Matalka*

329 Controlling the proliferation of *Zygosaccharomyces bailii* in ephedrine anti-phlegm cough mixture: *C. Charnock, T. Finsrud and C. Foss*

337 Motivations and perceived influences on rural and urban general practitioners when prescribing conventional non-steroidal anti-inflammatory drugs or COX-2 inhibitors: *K. Behan, C. Cutts and S. E. Tett*

345 Improving the outcomes of anticoagulation in rural Australia: an evaluation of pharmacist-assisted monitoring of warfarin therapy: *S. L. Jackson, G. M. Peterson, L. R. Bereznicki, G. M. Misan, D. M. L. Jupe and J. H. Vial*

355 Health-related quality of life in hypertension: impact of a pharmacy intervention programme: *I. Côté, J. Moisan, I. Chabot and J.-P. Grégoire*

363 Echinacea intake induces an immune response through altered expression of leucocyte hsp70, increased white cell counts and improved erythrocyte antioxidant defences: *L. L. Agnew, S. P. Guffogg, A. Matthias, R. P. Lehmann, K. M. Bone and K. Watson*

371 An evaluation of antimicrobial prophylaxis in paediatric surgery and its financial implication: *W. C. Hing, T. T. Yeoh, S. F. Yeoh, R. T. P. Lin and S. C. Li*

383 Penetration of ciprofloxacin and its desethylenemetabolite into skin in humans after a single oral dose of the parent drug assessed by cutaneous microdialysis: *S. Bielecka-Grzela and A. Klimowicz*

391 Queen Mary Utilization of Antihypertensive Drugs Study: side-effects of antihypertensive drugs: *B. M. Y. Cheung, Y. L. Wong and C. P. Lau*

401 Population pharmacokinetic investigation of disopyramide by mixed effect modelling using routine clinical pharmacokinetic data in Japanese patients: *E. Yukawa, K. Orio, M. Yukawa, K. Terao and H. Kinoshita*

407 Appropriate dosing regimen of allopurinol in Japanese patients: *M. Takada, H. Okada, T. Kotake, N. Kawato, M. Saito, M. Nakai, T. Gunji and M. Shibakawa*

Case Report

413 Possible azithromycin-associated hiccups: *F. Jover, J. M. Cuadrado and J. Merino*

NUMBER 5

Special 30th Anniversary Paper

417 Valproate: a simple chemical with so much to offer: *G. M. Peterson and M. Naunton*

423 Dosing of midazolam in neonates: *T. Girard*

Original Articles

425 Achieving a sustained reduction in benzodiazepine use through implementation of an area-wide multi-strategic approach: *W. B. Dollman, V. T. LeBlanc, L. Stevens, P. J. O'Connor, E. E. Roughead and A. L. Gilbert*

433 Use of moxonidine in elderly patients with resistant hypertension: *U. Martin, C. Hill and D. O' Mahony*

439 Dose evaluation for long-term magnesium treatment in aneurysmal subarachnoid haemorrhage: *A. G. W. van Norden, W. M. van den Bergh and G. J. E. Rinkel*

443 How much acetaminophen do paediatricians prescribe? A survey among Israeli paediatricians: *R. Greenberg, Z. Grossman, L. Goldstein, M. Berkovitch and E. Kozer*

447 Nesiritide utilization evaluation in a university teaching hospital: *J. W. M. Cheng, M. Y. Merl, H. M. Nguyen, G. C. Caliendo and J. Meyers*

455 Seventy-two-hour stability of Taxol® in 5% dextrose or 0.9% sodium chloride in Viaflo®, Freeflex®, Ecoflac® and Macoflex N® non-PVC bags: *B. Pourroy, C. Botta, C. Solas, B. Lacarelle and D. Braguer*

459 Safety, tolerability, and pharmacokinetics of TAS-108 in normal healthy post-menopausal female subjects: a phase I study on single oral dose: *H. Yamaya, K. Yoshida, J. Kuritani, J.-i. Yonezawa, M. Tsuda, T. Shindo, S. Nagayama and A. U. Buzdar*

471 Bleeding complications in patients on celecoxib and warfarin: *L. Chung, E. F. Chakravarty, P. Kearns, C. Wang and T. M. Bush*

479 Minimum effective dose of midazolam for sedation of mechanically ventilated neonates: *J.-M. Treluyer, S. Zohar, E. Rey, P. Hubert, F. Iserin, M. Jugie, R. Lenclen, S. Chevret and G. Pons*

Pharmacogenetics

487 Genetic polymorphism of *CYP2C8* in three Malaysian ethnics: *CYP2C8*2* and *CYP2C8*3* are found in Malaysian Indians: *Y. D. Muthiah, W. L. Lee, L. K. Teh, C. E. Ong and R. Ismail*

491 Molecular analysis of the thiopurine S-methyltransferase alleles in Bolivians and Tibetans: *H.-F. Lu, M.-C. Shih, S.-C. Hsueh, C.-M. Chen, J.-Y. Chang and J.-G. Chang*

496 **Erratum**

NUMBER 6

Commentary

497 Succinylcholine: still beautiful and mysterious after all these years: *A. Li Wan Po and T. Girard*

503 The white clot syndrome: *G. P. Daubert*

505 Samples: to use or not to use?: *K. K. Daugherty*

511 Presenting information on risks: *J. J. Coleman*

Original Articles

515 Self-medication with chloroquine in a rural district of Tanzania: a therapeutic challenge for any future malaria treatment policy change in the country: *S. E. D. Nsimba and G. H. Rimoy*

521 Efficacy and tolerability of frovatriptan in acute migraine treatment: systematic review of randomized controlled trials: *N. Poolsup, V. Leelasangaluk, J. Jittangtrong, C. Rithlamlert, N. Ratanapantamanee and M. Khanthong*

533 Measuring the appropriateness of prescribing in primary care: are current measures complete?: *N. Barber, C. Bradley, C. Barry, F. Stevenson, N. Britten and L. Jenkins*

541 Pharmacokinetics and pharmacodynamics of benidipine using a slow receptor-binding model: *H.-Y. Yun, M.-H. Yun, W. Kang and K.-I. Kwon*

549 Time-dependent pharmacokinetics of cyclosporine (Neoral®) in *de novo* renal transplant patients: *J. C. Lukas, A. M. Suárez, M. P. Valverde, M. V. Calvo, J. M. Lanao, R. Calvo, E. Suarez and A. D. Gil*

559 The quality of sulphadoxine-pyrimethamine and amodiaquine products in the Kenyan retail sector: *A. A. Amin, R. W. Snow and G. O. Kokwaro*

567 Does pulmonary rehabilitation give additional benefit over tiotropium therapy in primary care management of chronic obstructive pulmonary disease? Randomized controlled clinical trial in Hong Kong Chinese: *M. Lindsay, A. Lee, K. Chan, P. Poon, L. K. Han, W. C. W. Wong and S. Wong*

575 The chemical and pharmaceutical equivalence of sulphadoxine/pyrimethamine tablets sold on the Tanzanian market: *Y. Hebron, J. N. A. Tettey, M. Pournamdari and D. G. Watson*

583 Clinical drug interactions in outpatients of a university hospital in Thailand: *B. Janchawee, T. Owatranporn, W. Mahatthanatrakul and V. Chongsuvivatwong*

591 Population pharmacokinetics of theophylline in very premature Japanese infants with apnoea: *T. Fukuda, E. Yukawa, G. Kondo, T. Maeda, T. Shin-o, Y. Kondo, T. Imamura, M. Irikura and T. Irie*

597 Opioid prescribing: an assessment using quality statements: *B. G. Jenkins, P. H. R. Tuffin, C. L. Choo and S. A. Schug*

603 Serum concentration of potassium in chronic heart failure patients administered spironolactone plus furosemide and either enalapril maleate, losartan potassium or candesartan cilexetil: *M. Saito, M. Takada, K. Hirooka, F. Isobe and Y. Yasumura*

611 Effect of MKC-733, a 5-HT_3 receptor partial agonist, on bowel motility and symptoms in subjects with constipation: an exploratory study: *T. Fujita, S. Yokota, M. Sawada, M. Majima, Y. Ohtani and Y. Kumagai*

Case Report

623 Hydroxyurea and splenic irradiation-induced tumour lysis syndrome: a case report and review of the literature: *S.-W. Chen, W.-S. Hwang, C.-J. Tsao, H.-S. Liu and G.-C. Huang*

627 **Author Index**